

What is claimed is:

1. A wrench with visually recognizable mechanism, comprising:
a main body;
at least one wrench head connected to one side of the main body; and
5 a visually recognizable mechanism utilizing a color material to mark
on either the surface of the main body or on the surface of the wrench head
for recognizing the classification of the wrench.
2. The wrench with visually recognizable mechanism of Claim 1,
wherein the wrench head exhibits a quick reversible feature and has a
10 directional-reversible switch, on which the visually recognizable
mechanism is disposed.
3. The wrench with visually recognizable mechanism of Claim 1,
wherein the visually recognizable mechanism exhibits metric and British
measurements by various hues.
- 15 4. The wrench with visually recognizable mechanism of Claim 3,
wherein the visually recognizable mechanism exhibits different dimensions
of the wrenches by various hue levels.
5. The wrench with visually recognizable mechanism of Claim 1,
wherein the wrench head exhibits a quick reversible feature and has a
20 turning wheel, on which the visually recognizable mechanism is disposed.
6. The wrench with visually recognizable mechanism of Claim 5,
wherein the visually recognizable mechanism is selected from a coloring
material, a colored ring, a sticker and a display plate.
7. The wrench with visually recognizable mechanism of Claim 5,
25 wherein the turning wheel has at least one groove, on which the visually
recognizable mechanism is disposed.

8. The wrench with visually recognizable mechanism of Claim 7, wherein the visually recognizable mechanism is selected from a coloring material, a colored ring, a sticker and a display plate.

5 9. The wrench with visually recognizable mechanism of Claim 1, wherein the wrench head exhibits a quick reversible feature and has a direction button, on which the visually recognizable mechanism is disposed.

10. The wrench with visually recognizable mechanism of Claim 9, wherein the visually recognizable mechanism is selected from a coloring material, a colored ring, a sticker and a display plate.

10 11. The wrench with visually recognizable mechanism of Claim 9, wherein the direction button has at least one concave, on which the visually recognizable mechanism is disposed.

15 12. The wrench with visually recognizable mechanism of Claim 11, wherein the visually recognizable mechanism is selected from a coloring material, a colored ring, a sticker and a display plate.

13. The wrench with visually recognizable mechanism of Claim 1, wherein the wrench head exhibits a speed feature and has a ratchet ring provided on its center, on which the visually recognizable mechanism is disposed.

20 14. The wrench with visually recognizable mechanism of Claim 13, wherein the visually recognizable mechanism is selected from a coloring material, a colored ring, a sticker and a display plate.

25 15. The wrench with visually recognizable mechanism of Claim 13, wherein two side surfaces of the ratchet ring have grooves, on which the visually recognizable mechanism is disposed.

16. The wrench with visually recognizable mechanism of Claim 15, wherein the visually recognizable mechanism is selected from a

coloring material, a colored ring, a sticker and a display plate.

17. The wrench with visually recognizable mechanism of Claim 1, wherein the wrench head is an open-end wrench head.

18. The wrench with visually recognizable mechanism of Claim 1,
5 wherein the visually recognizable mechanism is disposed on two side or inner surfaces of the wrench head.

19. The wrench with visually recognizable mechanism of Claim 1, wherein the visually recognizable mechanism is disposed on one surface of the main body.

10